



WAC LIGHTING®

2026 DWELED COLLECTION

# INTRODUCING dweLED 2026 Luminaires

Discover lighting that's modern, meaningful, and made for the way you live. dweLED brings together contemporary design and smart LED performance in forms that are expressive yet approachable. With silhouettes that surprise and finishes that feel fresh, these luminaires deliver beauty, efficiency, and a sense of play, making them perfect for today's inspired interiors.

## FINISHES



Aged Brass  
AB



Black  
BK



Black/Aged Brass  
BK/AB



Black/Amber Glass  
BKAM



Black/Brushed Nickel  
BK/BN



Black/Gold  
BK/GO



Black/Gold Leaf  
BK/GL



Black/Smoke Glass  
BKSM



Black/White Glass  
BKWT



Black Chrome  
BC



Bronze  
BZ



Brushed Nickel  
BN



Chrome  
CH



Distressed Black  
DB



White/Gold  
WT/GO



White  
WT

# dweLED™

- WAC Home ..... 2
- Pendants + Chandeliers..... 4
- Bath .....48
- Indoor Sconces.....64
- Task + Bedside .....80
- Ceiling Mounts.....92
- Outdoor..... 112
- Custom.....142



WAC *Home*  
LIFE · CONNECTED

## WELCOME HOME

Tunable White, Dim-to-Warm, and high-quality LEDs let you shape your light exactly the way you want it: clear and energizing for mornings, warm and calming for evenings, or vibrant for gatherings. With recessed, tape, sheet, puck, and decorative fixtures working together, your entire home becomes a cohesive, adaptive lighting environment tuned to you.



**RELAX**  
Intensity 5%, CCT 1800K



**ENTERTAIN**  
Intensity 35%, CCT 2700K



**WELCOME**  
Intensity 75%, CCT 3000K



**FOCUS**  
Intensity 100%, CCT 4000K

## EASY, INTUITIVE CONTROL

Adjust intensity and color temperature instantly through the MyWAC app, powered by WAC-Mesh for fast, reliable wireless communication, or use the WallStation for direct, in-room control. Every space responds smoothly and effortlessly to your touch.



Explore WAC Home  
[wacighting.com/wac-home](http://wacighting.com/wac-home)



## Look For These Icons



Additional components are required for Tunable White or Dim-to-Warm. Visit our WAC Home page for details.



WAC Home compatibility  
Tunable White: 1800K-4000K



A photograph of a modern interior hallway. The ceiling is white with several recessed square lights. The walls are a light, neutral color. On the left, there is a doorway with a white frame. To the right, another doorway is visible, leading to a darker room. A framed picture hangs on the wall to the right. The overall lighting is soft and even.

# Pendants + Chandeliers

Providing an even layer of energy-efficient illumination for modern interiors and exteriors, dweLED debuts an innovative selection of LED pendants and chandeliers. From free-flowing silhouettes and solid drum profiles to multi-armed eclectic and geometric designs, these luminaires are ideal for mid-upscale homes, multi-family and assisted living residences, as well as hospitality applications.




# CAPULET

## PENDANT



- Uplight & Downlight
- Three 12" and one 6" downrods included (additional downrods available)
- May be mounted on a sloped ceiling
- Spin-on round canopy with minimal hardware
- Driver concealed within the canopy
- Steel frame with acrylic diffuser
- 3000K (Default)
- WAC HOME compatibility 1800K-4000K



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	Dimensions				
											L	W	H	Min	Max
<b>PD406624-TWA</b>	24"	3000K	90	120-277V	40W	2568	1975	ELV, TRIAC, WAC HOME*	50,000 hours	<b>BK/GO</b>	24.0"	24.0"	7.8"	20"	180"

Example: **PD406624-TWA-BK/GO**

\*Additional components required for Tunable White or Dim-to-Warm mode. See WAC Home section on website for additional information.



“ *Capulet glows with quiet confidence. Its broad, flared form casts a soft golden light that feels warm and enveloping. Elegant yet effortless, this modern classic radiates understated luxury and timeless charm.* ”




# CARTRIDGE

## MINI PENDANT



- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Three 12" and one 6" downrods included (additional downrods available)
- May be mounted on a sloped ceiling
- Spin-on round canopy with minimal hardware
- ACLED driverless technology
- Aluminum hardware with textured acrylic



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	Dimensions				
											L	W	H	Min	Max
<b>PD401614</b>	14"	2700K 3000K 3500K 4000K	90	120V	16W	1120	632	ELV	50,000 hours	<b>AB</b> <b>BK</b>	6.0"	6.0"	14.0"	24"	138"

Example: **PD401614-BK**





“ *Inspired by industrial forms and elevated by modern craftsmanship, Cartridge makes a striking impression with its vertical column of textured cast acrylic. Light dances through the sculptural body, creating a luminous statement that’s equal parts architectural and artistic.* ”




# CENTER STAGE

## PENDANT



- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- May be mounted on a sloped ceiling
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Gold Leaf interior
- Spin-on round canopy with minimal hardware
- Driver concealed within the canopy
- Aluminum frame



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	Dimensions				
											L	W	H	Min	Max
<b>PD404632</b>	32"	2700K 3000K 3500K 4000K	90	120-277V	30W	1180	885	ELV, TRIAC	50,000 hours	<b>BK/GL</b>	32.0"	32.0"	2.8"	20"	180"

Example: **PD404632-BK/GL**



“*Make a dramatic entrance with Center Stage, whose showstopping metal shade with a luminous gold leaf interior directs a warm, inviting glow downward, creating the perfect spotlight on surfaces below. Center Stage transforms ordinary rooms into extraordinary spaces: its lighting that’s meant to be noticed.*”




# DRIPSTONE

## PENDANT




- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Three 12" and one 6" downrods included (additional downrods available)
- May be mounted on a sloped ceiling
- Spin-on round canopy with minimal hardware
- Driver concealed within the canopy
- Aluminum hardware with frosted acrylic



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	Dimensions				
											L	W	H	Min	Max
<b>PD405619</b>	19"	2700K 3000K 3500K 4000K	90	120-277V	11W	1280	768	ELV, TRIAC, 0-10V	50,000 hours	<b>BK</b>	5.9"	5.9"	19.0"	25"	140"

Example: **PD405619-BK**





“ Fluid, sculptural, and quietly captivating. Dripstone draws inspiration from natural formations shaped by time. A slender cylinder of etched acrylic diffuses light with a soft, velvety glow, creating a look that’s both calming and serene. ”




# HONEYMOONER

## PENDANT



- Three 12" and one 6" downrods included (additional downrods available)
- May be mounted on a sloped ceiling
- Spin-on round canopy with minimal hardware
- Driver concealed within the canopy
- Metal hardware with mouth-blown opaline glass
- Consistency of opaline glass may vary
- 3000K (Default)
- WAC HOME compatibility 1800K-4000K



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	Dimensions				
											L	W	H	Min	Max
<b>PD418614-TWA</b>	14"	3000K	90	120-277V	21W	2025	1666	ELV, TRIAC, WAC HOME*	50,000 hours	<b>AB</b> <b>BK</b>	13.8"	13.8"	14.6"	18"	145"
<b>PD418620-TWA</b>	20"				42W	4083	3044				20.0"	20.0"	21.1"	25"	150"

Example: **PD418620-TWA-AB**

\*Additional components required for Tunable White or Dim-to-Warm mode. See WAC Home section on website for additional information.



“ *Honeymooner glows with quiet romance. Its rounded transient glass shade diffuses a soft, velvety light that feels tender and serene. A modern ode to timeless beauty, it's lighting that soothes the senses and warms the heart.* ”




# KANISTER

## MINI PENDANT



- Downward illumination
- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- May be mounted on a sloped ceiling
- Spin-on round canopy with minimal hardware
- Driver concealed within the canopy
- Aluminum frame with mouth-blown glass
- 3000K (Default)
- WAC HOME compatibility 1800K-4000K



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	Dimensions				
											L	W	H	Min	Max
<b>PD413612-TWA</b>	12"	3000K	90	120-277V	11W	186	112	ELV, TRIAC, WAC HOME*	50,000 hours	<b>BKWT</b> <b>BKSM</b>	3.9"	3.9"	11.8"	20"	150"

Example: **PD413612-TWA-BKWT**

\*Additional components required for Tunable White or Dim-to-Warm mode. See WAC Home section on website for additional information.

See complementary piece on page 18



*“ Industrial inspiration gets a sleek upgrade with Kanister. A cylindrical glass shade is surrounded by minimalist hardware to frame the look with clean precision, while the layered transparency brings depth and sophistication. ”*




# KANISTER

## MULTI-LIGHT



- Downward illumination
- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- May be mounted on a sloped ceiling
- Spin-on round canopy with minimal hardware
- Driver concealed within the canopy
- Aluminum frame with mouth-blown glass
- 3000K (Default)
- WAC HOME compatibility 1800K-4000K



Model No.	# of Lights	Canopy	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	Dimensions			
												L	W	H	Min Max
<b>PD413603R-TWA</b>	3 lights	Round	3000K	90	120-277V	28W	516	310	ELV, TRIAC, WAC HOME*	50,000 hours	<b>BKWT BKSM</b>	11.6"	3.9"	11.8"	20" 180"

Example: **PD413603R-TWA-BKSM**

\*Additional components required for Tunable White or Dim-to-Warm mode. See WAC Home section on website for additional information.

See complementary piece on page 16



“ *Kanister reimagines industrial design with a polished, contemporary edge. Three cylindrical glass shades hang at varying heights, creating a balanced rhythm of form and light. Black hardware frames the look with clean precision, while the layered transparency brings depth and sophistication. Kanister: modern, minimal, and a little mysterious.* ”




# LONGBOARD

## LINEAR PENDANT



- Six 12" and two 6" downrods included (additional downrods available)
- May be mounted on a sloped ceiling
- Driver concealed within the canopy
- Aluminum frame with acrylic diffuser
- 3000K (Default)
- WAC HOME compatibility 1800K-4000K



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	Dimensions				
											L	W	H	Min	Max
<b>PD414648-TWA</b>	48"	3000K	90	120-277V	43W	3936	2195	ELV, TRIAC, WAC HOME*	50,000 hours	<b>BK/AB</b> <b>BK/BN</b>	48.1"	7.1"	3.4"	12"	126"

Example: **PD414648-TWA-BK/AB**

\*Additional components required for Tunable White or Dim-to-Warm mode. See WAC Home section on website for additional information.



“ Long and lean with laid-back confidence, Longboard stretches light with modern rhythm. Its streamlined form and luminous opal diffuser create a sense of calm continuity — design that feels balanced, grounded, glowing with understated sophistication. ”




# LOOPEY

## PENDANT



- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- May be mounted on a sloped ceiling
- Spin-on round canopy with minimal hardware
- Driver concealed within the canopy
- Aluminum frame with acrylic diffuser



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	Dimensions				
											L	W	H	Min	Max
<b>PD420614</b>	14"	2700K 3000K 3500K 4000K	90	120-277V	29W	3073	1747	ELV, TRIAC	50,000 hours	<b>BK</b> <b>CH</b>	14.0"	14.0"	10.1"	15"	146"

Example: **PD420614-CH**





“ *Fanciful yet refined, Loopey turns the simplicity of circles into an expressive design statement. Its tiered, etched acrylic rings seem to float in motion, creating soft waves of light that shimmer with dimension and depth.* ”




# PARASAIL

## LINEAR PENDANT



- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- May be mounted on a sloped ceiling
- Driver concealed within the canopy
- Aluminum frame with acrylic diffuser



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	Dimensions				
											L	W	H	Min	Max
<b>PD412648</b>	48"	2700K 3000K 3500K 4000K	90	120-277V	28W	2312	1481	ELV, TRIAC	50,000 hours	<b>BK/AB</b>	47.5"	9.8"	6.0"	15"	120"

Example: **PD412648-BK/AB**



“ *Parasail drifts above the room like a work of modern art. Its slender, winged silhouette glows with soft precision, creating a tranquil, elevated atmosphere. The design feels weightless yet powerful — a statement of lightness, balance, and refined motion.* ”




# PORTOS

## PENDANT



- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- May be mounted on a sloped ceiling
- Three 12" and one 6" downrods included (additional downrods available)
- Spin-on round canopy with minimal hardware
- Driver concealed within the canopy
- Aluminum frame with exterior mouth-blown ribbed glass and opal glass on the interior



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	Dimensions				
											L	W	H	Min	Max
<b>PD118620</b>	20"	2700K 3000K 3500K 4000K	90	120-277V	15W	1000	850	ELV, TRIAC	50,000 hours	<b>AB</b>	6.0"	6.0"	20.0"	25"	200"

Example: **PD118620-AB**

See complementary piece on page 76, 132 & 134



“ *Portos recalls the grace of early modern design, reimagined for today. Light glimmers through the fluted glass surface, radiating warmth and sophistication. Portos adds structure and softness in equal measure, an elegant expression of craftsmanship.* ”




# RINGWALL

## PENDANT



- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- May be mounted on a sloped ceiling
- Spin-on round canopy with minimal hardware
- Driver concealed within the canopy
- Aluminum frame with acrylic and silicone diffuser



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	Dimensions				
											L	W	H	Min	Max
<b>PD402633</b>	33"	2700K 3000K 3500K 4000K	90	120-277V	50W	3738	3177	ELV, TRIAC	50,000 hours	<b>BC</b>	32.8"	32.8"	3.6"	20"	180"

Example: **PD402633-BC**

See complementary piece on page 110



“ Ringwall is lighting distilled to its most elegant form. A clean, continuous halo of light appears to hover in midair, offering soft, balanced illumination that elevates any modern space. With its minimalist silhouette and refined detailing, this versatile pendant adds architectural presence without overpowering a room. ”




# ROPER

## PENDANT



- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Braided nylon mesh sleeve over silicone tube
- Adjustable suspension height
- May be mounted on a sloped ceiling
- Spin-on round canopy with minimal hardware
- Driver concealed within the canopy
- Aluminum frame with mouth-blown glass



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	Dimensions				
											L	W	H	Min	Max
<b>PD417609</b>	9"	2700K 3000K 3500K 4000K	90	120-277V	20W	1547	928	ELV, TRIAC	50,000 hours	<b>AB</b> <b>BK</b>	9.0"	9.0"	9.9"	12"	100"

Example: **PD417609-AB**



“Whimsical yet poised, Roper weaves together form and flexibility in a striking display of modern creativity. A braided nylon mesh cord clasps a glass globe, where a LED tube winds gracefully within, casting soft illumination. The sculptural rope detail adds tactile warmth and movement, blurring the line between art and light.”




# ROUNDER

## PENDANT



- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- May be mounted on a sloped ceiling
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Aluminum frame with silicone diffuser



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	Dimensions				
											L	W	H	Min	Max
<b>PD403632</b>	32"	2700K 3000K 3500K 4000K	90	120-277V	55W	3794	2691	ELV, TRIAC, 0-10V	50,000 hours	<b>DB</b>	31.6"	31.6"	2.4"	20"	180"

Example: **PD403632-DB**



“ *Rounder redefines the ring light with sculptural precision. Its smooth halo of light radiates calm, sophistication, and balance — an elegant fusion of form and function that glows with quiet confidence.* ”




# SHIPMATE

## LINEAR PENDANT



- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- May be mounted on a sloped ceiling
- Driver concealed within the canopy
- Metal frame with acrylic diffuser



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	Dimensions				
											L	W	H	Min	Max
<b>PD410648</b>	48"	2700K 3000K 3500K 4000K	90	120-277V	40W	3714	3343	ELV, TRIAC, 0-10V	50,000 hours	<b>BK</b>	48.0"	5.0"	5.0"	10"	183"

Example: **PD410648-BK**






“ *Bold and balanced, Shipmate brings modern character to any space. A hammered linear body and soft acrylic diffuser create a striking mix of texture and LED light. Shipmate is ideal for any space that demands style with substance.* ”



# SIDEWINDER CHANDELIER



- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- May be mounted on a sloped ceiling
- Spin-on round canopy with minimal hardware
- Driver concealed within the canopy
- Aluminum frame with silicone diffuser
- 3000K (Default)
- WAC HOME compatibility 1800K-4000K



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	Dimensions				
											L	W	H	Min	Max
<b>PD415660-TWA</b>	60"	3000K	90	120-277V	37W	3146	2674	ELV, TRIAC, WAC HOME*	50,000 hours	<b>AB</b> <b>BK</b>	60.0"	60.0"	6.8"	20"	180"

Example: **PD415660-TWA-AB**

\*Additional components required for Tunable White or Dim-to-Warm mode. See WAC Home section on website for additional information.



“ Sidewinder twists through space with sculptural elegance. Its looping lines ripple with light, creating a sense of rhythm and motion. A statement piece that feels bold yet fluid, Sidewinder captures the poetry of modern design in perfect balance. ”




# SUPER STAR

## MINI PENDANT



- Built in color temperature adjustability. Switch from 3000K/3500K/4000K/5000K
- Option to pre-select color temperature or adjust in the field
- Rotatable K5 Crystal with a touch of brass between each crystal
- Aluminum frame with crystal diffuser




Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	Dimensions				
											L	W	H	Min	Max
<b>PD-15514</b>	14"	<b>-30</b> <b>-35</b> <b>-40</b> <b>-50</b>	90	120-277V	22W	1700	430	ELV, TRIAC, 0-10V	50,000 hours	<b>BK</b> <b>BN</b>	2.0"	2.0"	13.8"	16"	124"

Example: **PD-15514-30-BK**

See complementary piece on page 40



“ *Design your own light show with Super Star. Alternating faceted K5 crystal and metal elements form a sleek, linear profile, while each crystal rotates to create dynamic reflections and movement. This playful yet refined pendant adds shimmer, sophistication, and perfectly tuned LED performance to modern living spaces.* ”





# SUPER STAR

## LINEAR PENDANT



- Built in color temperature adjustability. Switch from 3000K/3500K/4000K/5000K
- Rotatable K5 Crystal with a touch of brass between each crystal
- Aluminum frame with crystal diffuser



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	Dimensions				
											L	W	H	Min	Max
<b>PD-15547</b>	47"	3000K 3500K 4000K 5000K	90	120-277V	22W	1700	1400	ELV, TRIAC, 0-10V	50,000 hours	<b>BK</b> <b>BN</b>	47.0"	2.0"	2.0"	10"	180"
<b>PD-15560</b>	60"	3000K 3500K 4000K 5000K	90	120-277V	27W	2200	1600	ELV, TRIAC, 0-10V	50,000 hours	<b>BK</b> <b>BN</b>	60.0"	2.0"	2.0"	10"	180"

Example: **PD-15560-BN**

See complementary piece on page 38



“ Super Star turns light into art. Faceted K5 crystals alternate with sleek metal accents in a sculptural linear form, each crystal rotatable to shape your own luminous rhythm. This statement pendant combines brilliance and precision with high-performance LED illumination. ”




# SWATHE

## CHANDELIER



- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- May be mounted on a sloped ceiling
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Metal frame with silicone diffuser



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	Dimensions				
											L	W	H	Min	Max
<b>PD411630</b>	30"	2700K 3000K 3500K 4000K	90	120- 277V	34W	2176	1799	ELV, TRIAC	50,000 hours	<b>BC</b>	28.3"	25.4"	13.1"	27"	196"

Example: **PD411630-BC**



“ Swathe wraps light in sculptural elegance. Its interlaced arms and luminous tips create a graceful interplay of form and glow, like fabric caught in motion. The result is an artful centerpiece that feels fluid, refined, and effortlessly contemporary. ”




# SWAYZEY

## PENDANT



- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- May be mounted on a sloped ceiling
- Spin-on round canopy with minimal hardware
- Driver concealed within the canopy
- Metal frame with mouth-blown swirly glass



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	Dimensions				
											L	W	H	Min	Max
<b>PD407609</b>	9"	2700K	90	120-277V	11W	765	395	ELV, TRIAC	50,000 hours	<b>BKAM</b> <b>BKSM</b>	9.5"	9.5"	8.0"	12"	142"
		3000K													
		3500K													
<b>PD407614</b>	14"	4000K			12W	794	488				14.0"	14.0"	11.9"	15"	182"

Example: **PD407614-BKSM**



“ Swayzey radiates effortless style. Its beautifully curved glass shade glows with subtle warmth, creating an artful mix of texture and tone. This modern pendant strikes the perfect balance between comfort and modern design. ”




# TROOP

## LINEAR PENDANT



- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Six 12" and two 6" downrods included (additional downrods available)
- May be mounted on a sloped ceiling
- Driver concealed within the canopy
- Aluminum frame with acrylic diffusers



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	Dimensions				
											L	W	H	Min	Max
<b>PD419638</b>	38"	2700K 3000K 3500K 4000K	90	120-277V	60W	4427	3162	ELV, TRIAC	50,000 hours	<b>AB</b> <b>BK</b>	37.4"	5.0"	7.0"	16"	187"

Example: **PD419638-BK**






“ A formation in perfect harmony, Troop unites light and structure in architectural rhythm. Multiple etched glass columns descend in a glowing, linear array, aligning in symmetry yet shining with individuality. Troop is a sculptural centerpiece that commands attention. ”





# Bath

Creative, progressive designs conjure an inspired blend of modern materials, artful pieces and advanced artisanship. Our LED bath bars and vanity lights provide a flattering, soft layer of energy-efficient illumination to their surroundings. Many of our luminaires offer built-in color temperature adjustability to deliver a customized environment and the versatility to be placed vertically or horizontally to suit your space.





# BIFOLD

## BATH + WALL LIGHT



- Adjustable backplate
- Driver concealed within the canopy
- Can be mounted on wall in all orientations
- Aluminum frame with acrylic diffuser
- 3000K (Default)
- WAC HOME compatibility 1800K-4000K



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	Dimensions		
											L	W	H
<b>WS108624-TWA</b>	24"	3000K	90	120-277V	19W	1900	1500	ELV, TRIAC, WAC HOME*	50,000 hours	<b>AB</b> <b>BN</b>	24.0"	2.3"	3.6"
<b>WS108636-TWA</b>	36"				27W	2700	2100				36.0"		

Example: **WS108636-TWA-AB**

\*Additional components required for Tunable White or Dim-to-Warm mode. See WAC Home section on website for additional information.



“ Playful yet purposeful, Bifold turns simple lighting into sculptural art. Its folded geometric design diffuses soft, even light while adding architectural interest to any space. ”




# CIRCLE LINE

## BATH + WALL LIGHT



- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Driver concealed within the canopy
- Aluminum frame with mouth-blown opal glass



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	Dimensions		
											L	W	H
<b>WS114624</b>	24"	2700K 3000K 3500K 4000K	90	120-277V	15W	1380	951	ELV, TRIAC	50,000 hours	<b>BK</b> <b>BN</b>	24.4"	4.8"	5.5"

Example: **WS114624-BN**



“ Circle Line makes geometry feel effortless. A trio of opal glass shades, banded by sleek metal, blends modern minimalism with architectural presence. The result is light that feels clean, balanced, and quietly bold — a perfect statement of simple sophistication. ”




# ELLARIA

## BATH + WALL LIGHT



- Driver concealed within the canopy
- Can be mounted on wall in all orientations
- Aluminum frame with mouth-blown opal glass
- 3000K (Default)
- WAC HOME compatibility 1800K-4000K




Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	Dimensions		
											L	W	H
<b>WS104609-TWA</b>	9"	3000K	90	120-277V	10W	850	550	ELV, TRIAC, WAC HOME*	50,000 hours	<b>BK</b> <b>BN</b>	5.0"	6.8"	9.0"

Example: **WS104609-TWA-BK**

\*Additional components required for Tunable White or Dim-to-Warm mode. See WAC Home section on website for additional information.  
See complementary piece on page 56



“ *Ellaria is a study in balance — a glowing opal glass sphere wrapped in a bold metal band that’s both sculptural and refined. Compact yet eye-catching, it adds warmth and character to any wall, blending timeless materials with contemporary style.* ”




# ELLARIA

## BATH + WALL LIGHT



- Driver concealed within the canopy
- Can be mounted on wall in all orientations
- Aluminum frame with mouth-blown opal glass
- 3000K (Default)
- WAC HOME compatibility 1800K-4000K



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	Dimensions		
											L	W	H
<b>WS104625-TWA</b>	25"	3000K	90	120-277V	28W	2380	1547	ELV, TRIAC, WAC HOME*	50,000 hours	<b>BK</b> <b>BN</b>	25.0"	6.8"	5.0"

Example: **WS104625-TWA-BN**

\*Additional components required for Tunable White or Dim-to-Warm mode. See WAC Home section on website for additional information.

See complementary piece on page 54



“Soft curves meet striking contrast in Ellaria, a wall sconce that balances elegance and edge. A trio of luminous opal glass globes diffuse warm, inviting light, while a bold metal band wraps gracefully around each one, creating a dramatic focal point.”





# FLATTE

## BATH + WALL LIGHT



- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Driver concealed within the canopy
- Can be mounted on wall in all orientations
- Aluminum frame with acrylic diffuser



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	Dimensions		
											L	W	H
<b>WS103624</b>	24"	2700K 3000K 3500K	90	120-277V	15W	1615	1279	ELV, TRIAC	50,000 hours	<b>AB</b> <b>BC</b>	24.0"	4.0"	5.0"
<b>WS103634</b>	34"	3500K 4000K			20.5W	2456	1999				34.0"		

Example: **WS103624-BC**



“ With its slim profile and softly diffused glow, Flatte brings understated elegance to any interior. ADA-compliant and beautifully minimal, it’s perfect for narrow spaces and modern design schemes. ”




# SERENA

## BATH + WALL LIGHT



- Driver concealed within the canopy
- Can be mounted on wall in all orientations
- Aluminum frame with faux alabaster diffuser
- 3000K (Default)
- WAC HOME compatibility 1800K-4000K



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	Dimensions		
											L	W	H
<b>WS107624-TWA</b>	24"	3000K	90	120-277V	19W	1900	665	ELV, TRIAC, WAC HOME*	50,000 hours	<b>AB</b> <b>BK</b>	24.0"	1.1"	3.4"
<b>WS107633-TWA</b>	33"				27W	2700	942				32.5"		

Example: **WS107633-TWA-AB**

\*Additional components required for Tunable White or Dim-to-Warm mode. See WAC Home section on website for additional information.

See complementary piece on page 78



“ *Serena captures natural beauty in a refined modern form. A backlit panel of faux alabaster glows with soft radiance, creating depth and warmth that feels organic and luxurious. Framed by sleek metal, its elongated oval design adds sculptural poise and subtle drama. A simple silhouette, endlessly graceful.* ”




# TRESSA

## BATH + WALL LIGHT



- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Opaline gradient glass
- Driver concealed within the canopy
- Aluminum frame with opaline glass diffuser



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	Dimensions		
											L	W	H
<b>WS122627</b>	27"	2700K 3000K 3500K 4000K	90	120- 277V	22W	597	405	ELV, TRIAC	50,000 hours	<b>AB</b> <b>BN</b>	26.9"	5.9"	8.6"

Example: **WS122627-AB**



“ With gentle curves and soft angles, Tressa wraps the wall in layers of light. Its folded silhouette and lovely gradient glass shades glow with quiet grace, transforming a simple surface into a play of texture, tone, and modern artistry. ”





# Indoor Sconces

Groundbreaking innovations in LED, materials engineering, and creative optical design pave the way for endless possibilities for striking wall luminaires. Our sophisticated and compact LED wall fixtures can be paired with your home's distinctive architectural elements while delivering an attractive, ambient glow. Shape the decor of your space with sleek modern pieces perfect for various tasks in simple yet appealing silhouettes.




# CLOCKER

## WALL SCONCE



- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Driver concealed within the canopy
- Can be mounted on wall in all orientations
- Aluminum frame with metal reflector



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	Dimensions		
											L	W	H
<b>WS124628</b>	28"	2700K 3000K 3500K 4000K	90	120-277V	32W	1720	875	ELV, TRIAC	50,000 hours	<b>AB</b> <b>BK</b>	6.0"	2.8"	28.1"

Example: **WS124628-AB**



“ Clocker transforms light into motion. Its balanced, hourglass-inspired form radiates a soft glow from metallic accents, creating a sense of harmony and rhythm. A striking yet graceful design that turns every wall into a statement of modern artistry. ”




# DIAL

## WALL SCONCE



- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Driver concealed within the canopy
- Can be mounted on wall and ceiling in all orientations
- Metal frame with acrylic diffuser



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	Dimensions		
											L	W	H
<b>WS109614</b>	14"	2700K 3000K 3500K 4000K	90	120-277V	30W	1698	1443	ELV, TRIAC	50,000 hours	<b>BC</b>	14.0"	1.5"	14.0"
<b>WS109620</b>	20"	2700K 3000K 3500K 4000K	90	120-277V	35W	3655	3107	ELV, TRIAC	50,000 hours	<b>BC</b>	20.0"	1.5"	20.0"

Example: **WS109620-BC**



“Circular perfection, delivered. Dial radiates warmth and balance from a softly glowing ring. Its simple form and refined finish make it ideal for accenting every mood and moment in modern interiors.”




# DOUBLE DIAMOND

## WALL SCONCE



- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Driver concealed within the canopy
- Can be mounted on wall in all orientations
- Aluminum frame with acrylic diffuser



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	Dimensions		
											L	W	H
<b>WS101606</b>	6"	2700K 3000K 3500K 4000K	90	120-277V	15W	892	687	ELV, TRIAC	50,000 hours	<b>AB</b> <b>BK</b>	6.0"	1.8"	6.0"

Example: **WS101606-AB**

See complementary piece on page 72



“Sculptural and striking, Double Diamond transforms walls into art. Its bold, faceted silhouette casts a dynamic play of light and shadow, perfect for creating visual interest in any room. Designed to dazzle.”




# DOUBLE DIAMOND

## WALL SCONCE



- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Driver concealed within the canopy
- Can be mounted on wall in all orientations
- Aluminum frame with acrylic diffuser



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	Dimensions		
											L	W	H
<b>WS101620</b>	20"	2700K 3000K 3500K 4000K	90	120-277V	28W	1675	1173	ELV, TRIAC	50,000 hours	<b>AB</b> <b>BK</b>	7.0"	2.8"	20.0"

Example: **WS101620-AB**

See complementary piece on page 70



*“ Double Diamond sparkles with sculptural intrigue. Its angular symmetry and radiant finish create a striking interplay of light and shadow. Scaled for subtlety or statement, it’s a modern classic that shines with confidence. ”*




# MOXEE

## WALL SCONCE



- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- ACLED driverless technology
- Can be mounted on wall in all orientations
- Aluminum frame with acrylic diffuser



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	Dimensions		
											L	W	H
<b>WS105605</b>	5"	2700K 3000K 3500K 4000K	90	120V	11W	1051	844	ELV	50,000 hours	<b>AB</b> <b>BK</b>	5.0"	3.8"	5.0"

Example: **WS105605-AB**



“ Moxee glows with quiet warmth. Its Washi-inspired acrylic shade diffuses light into a gentle, organic texture — simple, serene, and beautifully tactile. Designed to soothe and inspire, it’s modern lighting with a handcrafted soul. ”




# PORTOS

## WALL SCONCE



- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Driver concealed within the canopy
- Can be mounted on wall in all orientations
- Aluminum frame with exterior mouth-blown ribbed glass and opal glass on the interior



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	Dimensions		
											L	W	H
<b>WS118618</b>	18"	2700K	90	120-277V	15W	674	572	ELV, TRIAC	50,000 hours	<b>AB</b>	5.5"	6.4"	17.9"
		3000K											17.9"
		3500K											17.9"
<b>WS118625</b>	25"	4000K			20W	1131	961						25.0"

Example: **WS118625-AB**

See complementary piece on page 26, 132 & 134



“ With its refined proportions, Portos recalls the grace of early modern design, reimagined for today. Its fluted glass shade shimmers with dimensional light, framed by metal accents that balance strength and refinement. Modern nostalgia, beautifully redefined. ”




# SERENA

## WALL SCONCE



- Driver concealed within the canopy
- Can be mounted on wall in all orientations
- Aluminum frame with faux alabaster diffuser
- 3000K (Default)
- WAC HOME compatibility 1800K-4000K



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	Dimensions		
											L	W	H
<b>WS107615-TWA</b>	15"	3000K	90	120-277V	14W	960	400	ELV, TRIAC, WAC HOME*	50,000 hours	<b>AB</b> <b>BK</b>	2.8"	1.3"	15.6"

Example: **WS107615-TWA-BK**

\*Additional components required for Tunable White or Dim-to-Warm mode. See WAC Home section on website for additional information.

See complementary piece on page 60




“*Serena captures natural beauty in a refined modern form. A backlit panel of faux alabaster glows with soft radiance, creating depth and warmth that feels organic and luxurious. Framed by sleek metal, its elongated oval design adds sculptural poise and subtle drama. A simple silhouette, endlessly graceful.*”



# Task + Bedside

Both decorative and functional, dweLED swing arm luminaires make a stylish addition to a bedside or living area. Exuding ageless beauty and timeless charm, modern and retro designs boast metal wall mounts supporting an articulating arm, integral driver and convenient fingertip touch dimming. Our ADA compliant, energy efficient LED sconces are visually appealing, brilliant and engaging—the perfect choice for use in private and public spaces.







# AMES

## TASK LIGHT



- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Fingertip touch on/off switch and dimming on fixture
- USB/USB-C port for charging
- Driver concealed within the canopy
- Can be mounted on wall in all orientations
- Metal cover with with casted glass diffuser
- Rotatable 350 degrees



USB/USB-C charging ports  
On/off switch

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	Dimensions		
											L	W	H
<b>BL123607</b>	7"	2700K 3000K 3500K 4000K	90	120V	10W	162	130	NO EXTERNAL DIMMER/ TOUCH DIMMER ON FIXTURE	50,000 hours	<b>BK</b> <b>BN</b>	7.1"	2.8"	8.1"

Example: **BL123607-BN**



“ Ames glows from within. Light ripples through its textured glass shade, creating a gentle radiance that feels sculptural and serene. Refined metal details add contrast and balance — a timeless expression of modern craftsmanship. ”




# CHLOE

## TASK LIGHT



- Main light with pivotable downlight
- Fingertip touch on/off switch and dimming on fixture
- USB/USB-C port for charging
- Driver concealed within the canopy
- Aluminum frame with fabric shade and acrylic diffuser



USB/USB-C charging ports      On/off switch

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	Dimensions		
											L	W	H
<b>BL110610</b>	10"	3000K	90	120V	10W	330	280	NO EXTERNAL DIMMER/ TOUCH DIMMER ON FIXTURE	50,000 hours	<b>AB</b> <b>BK</b> <b>BN</b>	6.0"	7.3"	10.1"

Example: **BL110610-BN**



“ Charming, modern, and effortlessly functional, Chloe brings designer style to everyday living. A softly tapered fabric shade floats above a sculptural metal frame, offering adjustable light and integrated USB/USB-C ports in a perfect balance of elegance and practicality. ”




# ERLE

## TASK LIGHT



- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Fingertip touch on/off switch and dimming on fixture
- Pivotal bedlight
- USB/USB-C port for charging
- Driver concealed within the canopy
- Metal hardware with PC diffuser



USB/USB-C charging ports      On/off switch

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	Dimensions		
											L	W	H
<b>BL121606</b>	6"	2700K 3000K 3500K 4000K	90	120V	17W	101	85	NO EXTERNAL DIMMER/ TOUCH DIMMER ON FIXTURE	50,000 hours	<b>AB</b> <b>BK</b> <b>BN</b>	5.9"	2.6"	5.9"

Example: **BL121606-BN**



“ Compact, clever, and beautifully crafted, Erle brings refinement to everyday function. A sleek, cylindrical head with subtle knurling detail pivots effortlessly to direct light where it’s needed most. The integrated USB and USB-C charging ports add convenience without clutter, making Erle a modern essential. ”




# GARLYN

## TASK LIGHT



- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Fingertip touch on/off switch and dimming on fixture
- Able to pivot light 85 degrees horizontally each way and 30 degrees forward and backwards
- USB/USB-C port for charging
- Driver concealed within the canopy
- Metal hardware with PC diffuser



USB/USB-C charging ports  
On/off switch

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	Dimensions		
											L	W	H
<b>BL113610</b>	10"	2700K 3000K 3500K 4000K	90	120V	18W	162	113	NO EXTERNAL DIMMER/ TOUCH DIMMER ON FIXTURE	50,000 hours	<b>BK WT</b>	5.9"	4.9"	10.5"

Example: **BL113610-WT**



“Garlyn is light with personality. Its bold, tapered form feels modern and expressive, adding a sculptural accent to any wall. The glow is soft and directional, creating a moment of warmth and artistry that feels effortlessly cool.”




# VEER

## TASK LIGHT



- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Fingertip touch on/off switch and dimming on fixture
- Main light with pivotable downlight
- USB/USB-C port for charging
- Driver concealed within the canopy
- Aluminum frame with acrylic diffuser



USB/USB-C charging ports      On/off switch

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	Dimensions		
											L	W	H
<b>BL117609</b>	9"	2700K 3000K 3500K 4000K	90	120V	9W	721	199	NO EXTERNAL DIMMER/ TOUCH DIMMER ON FIXTURE	50,000 hours	<b>AB</b> <b>BK</b>	5.0"	4.8"	9.3"

Example: **BL117609-AB**



“ Polished and intuitive, Veer leans into modern simplicity. Its smooth silhouette and quiet movement create an inviting rhythm of light and form. Minimal yet warm, it brings a sense of calm intention to the space: it’s lighting that follows your lead. ”





# Ceiling Mounts

Our ceiling mounts push the envelope of design and LED technology to deliver authentic originals. Dimmable, energy-efficient flush mount luminaires evoke a bright, radiant illumination and pair classic elements with minimalistic design to create contemporary additions to residential and hospitality settings.




# BALTO I

## OUTDOOR CEILING MOUNT



- Weather resistant powder coated finishes
- Light engine is factory sealed for maximum protection from the elements
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Can be mounted on ceiling or wall in all orientations
- Option available for sauna application. Durable and heat resistant. Available in 3000K only (Model#FMW703605S)
- ACLED driverless technology
- Aluminum body with PC diffuser



Ø5 3/8"

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	Dimensions		
											L	W	H
<b>FMW703605</b>	5"	2700K	90	120V	13W	1125	585	ELV, TRIAC	50,000 hours	<b>BK</b> <b>WT</b>	5.4"	5.4"	2.8"
		3000K											
		3500K											
		4000K											
<b>FMW703605S</b>		3000K			3.5W	280	150						

Example: **FMW703605-BK**

Example: **FMW703605S-BK (sauna option)**

See complementary piece on page 96 & 98



“ Minimalist design meets maximum versatility. Defined by its clean circular profile and frosted ringed diffuser, Balto I blends sophistication with modern architecture. Built to endure the elements, this versatile fixture is wet rated for outdoor use. ”




# BALTO II

## OUTDOOR CEILING MOUNT



- Weather resistant powder coated finishes
- Light engine is factory sealed for maximum protection from the elements
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Can be mounted on ceiling or wall in all orientations
- Option available for sauna application. Durable and heat resistant. Available in 3000K only (Model#FMW70460SS)
- ACLED driverless technology
- Aluminum body with PC diffuser



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	Dimensions		
											L	W	H
<b>FMW704605</b>	5"	2700K	90	120V	13W	1125	585	ELV, TRIAC	50,000 hours	<b>BK</b>	5.4"	5.4"	2.8"
		3000K											
		3500K											
		4000K											
<b>FMW704605S</b>		3000K			3.5W	280	150						

Example: **FMW704605-WT**

Example: **FMW704605S-WT (sauna option)**

See complementary piece on page 94 & 98



“ Minimalist design meets maximum versatility. Defined by its clean circular profile and frosted interior diffuser Balto II blends sophistication with modern architecture. Built to endure the elements, this versatile fixture is wet rated for outdoor use. ”




# BALTO III

## OUTDOOR CEILING MOUNT



- Weather resistant powder coated finishes
- Light engine is factory sealed for maximum protection from the elements
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Can be mounted on ceiling or wall in all orientations
- Option available for sauna application. Durable and heat resistant. Available in 3000K only (Model#FMW705605S)
- ACLED driverless technology
- Aluminum body with PC diffuser



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	Dimensions		
											L	W	H
<b>FMW705605</b>	5"	2700K	90	120V	13W	1125	585	ELV, TRIAC	50,000 hours	<b>BK</b> <b>WT</b>	5.4"	5.4"	2.8"
		3000K											
		3500K											
		4000K											
<b>FMW705605S</b>		3000K			3.5W	280	150						

Example: **FMW705605-BK**

Example: **FMW705605S-BK (sauna option)**

See complementary piece on page 94 & 96



“ Minimalist design meets maximum versatility. Defined by its clean circular profile and frosted interior diffuser Balto III blends sophistication with modern architecture. Built to endure the elements, this versatile fixture is wet rated for outdoor use. ”




# COLANDER

## OUTDOOR CEILING MOUNT



- Weather resistant powder coated finishes
- Light engine is factory sealed for maximum protection from the elements
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Driver concealed within the canopy
- Aluminum body with acrylic diffuser



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	Dimensions		
											L	W	H
<b>FMW707618</b>	18"	2700K 3000K 3500K 4000K	90	120-277V	25W	1731	1558	ELV, TRIAC	50,000 hours	<b>BZ</b>	18.1"	18.1"	8.3"

Example: **FMW707618-BZ**





“ Blending practicality with industrial flair, Colander diffuses light through a perforated metal shade, casting soft, textural illumination that elevates outdoor environments. A perfect balance of function, design, and coastal-ready durability. ”



# DOWNTOWN

## OUTDOOR CEILING MOUNT



- Built in color temperature adjustability. Switch from 3000K/3500K/4000K
- Option to pre-select color temperature or adjust in the field
- ACLED driverless technology
- Conversion plate available to cover 4" junction box for the 3" size
- Can be mounted on ceiling or wall in all orientations
- Aluminum body with glass diffuser
- ADA compliant on 3" version




FM-W47203




FM-W47204



Conversion plate available for 3" sizes



FM-W47205



FM-W47206

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	Dimensions			
											L	W	H	
<b>FM-W47203</b>	3"	-30	90	120V	10W	863	347	ELV, TRIAC	50,000 hours	<b>BK</b> <b>WT</b>	3.5"	3.5"	3.3"	
<b>FM-W47204</b>		-35												
<b>FM-W47205</b>	5"	-40		120 VAC	11.9W	950	647		54,000 hours		5.0"	5.0"	4.5"	
<b>FM-W47206</b>							795							

Example: **FM-W47205-30-BK**



*“ Sleek and functional, the Downtown Round outdoor flush mount delivers soft, focused LED light in a clean cylindrical form. Wet-rated, it’s a timeless lighting solution for any exterior. ”*




# GASTON

## CEILING MOUNT



- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Driver concealed within the canopy
- Can be mounted on ceiling or wall in all orientations
- Aluminum body with acrylic diffuser



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	Dimensions		
											L	W	H
<b>FM701618</b>	18"	2700K 3000K 3500K 4000K	90	120-277V	33W	1657	1162	ELV, TRIAC	50,000 hours	<b>BK/GO</b> <b>WT/GO</b>	17.8"	17.8"	4.4"
<b>FM701626</b>	26"				38W	2976	2256				25.6"	25.6"	

Example: **FM701626-WT/GO**



“ A timeless silhouette, reimagined. Gaston combines a clean, circular design with a gold interior accent for a soft, welcoming glow. It’s the perfect balance between form and function. ”




# POPPIN

## OUTDOOR CEILING MOUNT



- Weather resistant powder coated finishes
- Light engine is factory sealed for maximum protection from the elements
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Driver concealed within the canopy
- Stainless steel with acrylic diffuser



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	Dimensions		
											L	W	H
<b>FMW706616</b>	16"	2700K 3000K 3500K 4000K	90	120- 277V	20W	1485	1337	ELV, TRIAC	50,000 hours	<b>BK</b>	16.0"	16.0"	13.3"

Example: **FMW706616-BK**

See complementary piece on page 130



“ Whimsy meets precision engineering in Poppin. A rounded silhouette of etched acrylic glows within sleek metal ribbing, transforming outdoor ceilings into modern art statements. Poppin’s joyful geometry makes a lasting impression, whether used individually or in repetition. ”




# RINGSLEY

## CEILING MOUNT



- Driver concealed within the canopy
- Aluminum body with acrylic diffuser
- 3000K (Default)
- WAC HOME compatibility 1800K-4000K



Ø31½"



3¾"

Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	Dimensions		
											L	W	H
<b>FM702632-TWA</b>	32"	3000K	90	120-277V	40W	2660	2261	ELV, TRIAC, WAC HOME*	50,000 hours	<b>BK</b> <b>WT</b>	31.5"	31.5"	3.4"

Example: **FM702632-TWA-WT**

\*Additional components required for Tunable White or Dim-to-Warm mode. See WAC Home section on website for additional information.



*“ Effortlessly sleek and quietly refined, Ringsley embodies the essence of modern minimalism. Its circular silhouette floats close to the ceiling, wrapped in a smooth metal frame that contrasts beautifully with a softly glowing acrylic diffuser. ”*




# RINGWALL

## CEILING MOUNT



- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Driver concealed within the canopy
- Aluminum body with acrylic diffuser



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	Dimensions		
											L	W	H
<b>FM402619</b>	19"	2700K 3000K 3500K 4000K	90	120-277V	27W	1654	1406	ELV, TRIAC	50,000 hours	<b>BC</b>	19.0"	19.0"	4.8"


Example: **FM402619-BC**

See complementary piece on page 28



“ Float a circle of light overhead with Ringwall. With its minimalist silhouette and refined detailing, this flush mount light adds architectural presence without overpowering a room. ”





# Outdoor

Our exterior portfolio elevates outdoor lighting with nostalgic design elements, quality finishes, and powerful illumination. Our versatile indoor/outdoor LED pendants and sconces embody sophisticated, modern and transitional styles ideal for illuminating entryways, façades, walkways and corridors to highlight residential, commercial and hospitality architecture.




# BROCADE

## OUTDOOR WALL SCONCE



PATENT  
PENDING

- Weather resistant powder coated finishes
- Light engine is factory sealed for maximum protection from the elements
- ACLED driverless technology
- Stainless steel body with glass diffuser



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	Dimensions		
											L	W	H
<b>WSW119610</b>	10"				11W	176	114				4.9"	6.5"	10.0"
<b>WSW119618</b>	18"	3000K	90	120V	16W	297	193	ELV, TRIAC	50,000 hours	<b>BK</b>	7.9"	10.4"	18.0"
<b>WSW119626</b>	26"				24W	478	310				7.9"	10.4"	26.0"

Example: **WSW119626-BK**

See complementary piece on page 116



“*Brocade turns light into texture. Its perforated metal body surrounds a glowing core, casting delicate patterns that dance across walls and architecture. The result is a sophisticated, handcrafted statement that merges artistry and performance.*”




# BROCADE

## OUTDOOR POST MOUNT



- Weather resistant powder coated finishes
- Light engine is factory sealed for maximum protection from the elements
- Mounts on a 3" maximum diameter post (not included)
- ACLED driverless technology
- Stainless steel body with glass diffuser



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	Dimensions		
											L	W	H
<b>PMW119618</b>	18"	3000K	90	120V	18W	321	273	ELV, TRIAC	50,000 hours	<b>BK</b>	7.0"	7.0"	18.0"

Example: **PMW119618-BK**

See complementary piece on page 114





“ Brocade weaves light into form. Its perforated metal body wraps around a glowing core, casting intricate patterns that shimmer like woven fabric. The sculptural form feels both futuristic and handcrafted, merging artistry with performance. Brocade turns pathways and landscapes into luminous, modern tapestries of light. ”




# FIDO

## OUTDOOR WALL SCONCE



- Weather resistant powder coated finishes
- Light engine is factory sealed for maximum protection from the elements
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- ACLED driverless technology
- Aluminum body with silicone diffuser
- Up and down light with center band illumination



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	Dimensions		
											L	W	H
<b>WSW106616</b>	16"	2700K 3000K 3500K 4000K	90	120V	11W	1120	600	ELV	50,000 hours	<b>BK</b>	4.3"	5.9"	16.0"
<b>WSW106624</b>	24"				17W	1400	1100				5.3"	7.1"	24.0"

Example: **WSW106616-BK**





*“ Faithful in form and function, Fido is a loyal design companion for your home’s exterior. With a sculptural, bone-inspired silhouette and balanced up-and-down LED illumination Fido is built to brighten your nights. ”*




# LEVEE

## OUTDOOR WALL SCONCE




- Weather resistant powder coated finishes
- Light engine is factory sealed for maximum protection from the elements
- ACLED driverless technology
- Stainless steel body with glass diffuser



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	Dimensions		
											L	W	H
<b>WSW115616</b>	16"	3000K	90	120V	11W	384	327	ELV, TRIAC	50,000 hours	<b>BK</b>	6.8"	8.3"	16.1"
<b>WSW115625</b>	25"				17W	859	536				10.8"	12.8"	24.8"

Example: **WSW115616-BK**

See complementary piece on page 122





*“ Levee’s angular form and frosted diffuser create a bold yet balanced outdoor statement. Its crisp geometry and softened light bring architectural grace to modern exteriors. ”*




# LEVEE

## OUTDOOR PENDANT



- Weather resistant powder coated finishes
- Light engine is factory sealed for maximum protection from the elements
- Three 12" and one 6" downrods included (additional downrods available)
- ACLED driverless technology
- Stainless steel body with glass diffuser



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	Dimensions				
											L	W	H	Min	Max
<b>PDW115625</b>	25"	3000K	90	120V	23W	631	536	ELV, TRIAC	50,000 hours	<b>BK</b>	12.0"	12.0"	25.0"	29"	60"

Example: **PDW115625-BK**

See complementary piece on page 120



*“ The Levee pendant channels architectural strength and contemporary minimalism into a refined, sculptural design. Its angular metal frame cradles a frosted diffuser that radiates clean, even illumination, creating a striking contrast of light and shadow. ”*




# LOOME

## OUTDOOR WALL SCONCE



- Weather resistant powder coated finishes
- Light engine is factory sealed for maximum protection from the elements
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Driver concealed within the canopy
- Aluminum body with acrylic diffuser



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	Dimensions		
											L	W	H
<b>WSW112616</b>	16"	2700K 3000K 3500K 4000K	90	120-277V	28W	572	100	ELV, TRIAC	50,000 hours	<b>BK</b>	6.0"	3.5"	16.0"

Example: **WSW112616-BK**



“Light with presence. Looome’s layered metal rings encase a softly glowing silica diffuser, casting a refined pattern of shadow and light. Its sculptural form and backlit design create visual intrigue both day and night.”




# OFFSHORE

## OUTDOOR WALL SCONCE



- Weather resistant powder coated finishes
- Light engine is factory sealed for maximum protection from the elements
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- ACLED driverless technology
- Aluminum body with fluted glass diffuser



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	Dimensions		
											L	W	H
<b>WSW120610</b>	10"	2700K			10W	80	72				5.0"	5.6"	10.5"
<b>WSW120616</b>	16"	3000K 3500K	90	120V	15W	148	133	ELV, TRIAC	50,000 hours	<b>BK</b>	6.0"	6.8"	16.0"
<b>WSW120624</b>	24"	4000K			21.5W	198	178				7.0"	8.0"	24.0"

Example: **WSW120616-BK**





*“ Durable, elegant and timeless, Offshore brings the precision of modern architecture to outdoor lighting. Vertical fluted glass softens its powerful illumination, creating a balanced play of light and texture. The linear black metal frame adds structure and refinement, making Offshore a beacon of modern design built to weather any element. ”*




# ORLENE

## OUTDOOR WALL SCNCE



- Weather resistant powder coated finishes
- Light engine is factory sealed for maximum protection from the elements
- ACLED driverless technology
- Aluminum body with glass diffuser



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	Dimensions		
											L	W	H
<b>WSW102616</b>	16"	3000K	90	120V	15W	719	136	ELV, TRIAC	50,000 hours	<b>BK</b>	5.8"	3.0"	16.0"

Example: **WSW102616-BK**





*“ Designed for simplicity and sophistication, Orlene casts a warm 3000K glow through sleek horizontal louvers. This ADA compliant outdoor sconce adds subtle architectural style while delivering efficient, downlight-only illumination. ”*




# POPPIN

## OUTDOOR PENDANT



- Weather resistant powder coated finishes
- Light engine is factory sealed for maximum protection from the elements
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Three 12" and one 6" downrods included (additional downrods available)
- Driver concealed within the canopy
- Stainless steel body with acrylic diffuser



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	Dimensions				
											L	W	H	Min	Max
<b>PDW706616</b>	16"	2700K 3000K 3500K 4000K	90	120-277V	30W	1885	1697	ELV, TRIAC	50,000 hours	<b>BK</b>	16.0"	16.0"	13.3"	18"	60"

Example: **PDW706616-BK**

See complementary piece on page 106



“ Whimsy meets precision engineering in Poppin. A rounded silhouette of etched acrylic glows within sleek metal ribbing, transforming outdoor ceilings into modern art statements. Poppin’s joyful geometry makes a lasting impression, whether used individually or in repetition. ”




# PORTOS

## OUTDOOR WALL SCONCE



- Weather resistant powder coated finishes
- Light engine is factory sealed for maximum protection from the elements
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Driver concealed within the canopy
- Can be mounted on the wall at all orientations
- Aluminum frame with exterior mouth-blown ribbed glass and opal glass on the interior



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	Dimensions		
											L	W	H
<b>WSW118618</b>	18"	2700K 3000K 3500K 4000K	90	120-277V	15W	674	572	ELV, TRIAC	50,000 hours	<b>BK</b>	5.5"	6.4"	17.9"
<b>WSW118625</b>	25"				20W	1131	961						25.0"

Example: **WSW118618-BK**

See complementary piece on page 26, 76 & 134



“Portos recalls the grace of early modern design, reimagined for today. Light glimmers through the fluted glass surface, radiating warmth and sophistication. Portos adds structure and softness in equal measure, an elegant expression of craftsmanship.”




# PORTOS

## OUTDOOR PENDANT




- Weather resistant powder coated finishes
- Light engine is factory sealed for maximum protection from the elements
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- May be mounted on a sloped ceiling
- Three 12" and one 6" downrods included (additional downrods available)
- Spin-on round canopy with minimal hardware
- Driver concealed within the canopy
- Aluminum frame with exterior mouth-blown ribbed glass and opal glass on the interior



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	Dimensions				
											L	W	H	Min	Max
<b>PDW118620</b>	20"	2700K 3000K 3500K 4000K	90	120-277V	15W	1000	850	ELV, TRIAC	50,000 hours	<b>BK</b>	6.0"	6.0"	19.9"	25"	200"

Example: **PDW118620-BK**

See complementary piece on page 26, 76 & 132

A photograph of a modern outdoor entrance. The central focus is a large door with a chevron pattern of dark wood planks. Above the door is a transom window with a dark frame. A cylindrical, ribbed glass pendant light hangs from the ceiling. The door has a dark metal handle. The entrance is flanked by glass panels that reflect the outdoor patio area with tables and chairs. The overall aesthetic is contemporary and elegant.

*“ Portos’ ribbed glass and refined metal detailing evoke timeless elegance, blending modern design with classic form. Its fluted glass shade diffuses illumination with a gentle shimmer that enhances its sculptural form. ”*




# SWIVET

## OUTDOOR WALL SCONCE



- Weather resistant powder coated finishes
- Light engine is factory sealed for maximum protection from the elements
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Driver concealed within the canopy
- Can be mounted vertically or upside down
- Aluminum frame with PC diffuser



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	Dimensions		
											L	W	H
<b>WSW111608</b>	8"	2700K 3000K 3500K 4000K	90	120-277V	22W	1078	429	ELV, TRIAC	50,000 hours	<b>BK</b>	8.0"	3.5"	8.0"
<b>WSW111612</b>	12"				30W	1400	528				12.0"		12.0"

Example: **WSW111612-BK**





*“ Swivet transforms light into an architectural gesture. Its distinctive offset cylinder rotates slightly within a rectangular frame, creating dynamic contrast between structure and glow. Delivering directional light while maintaining a sculptural, contemporary presence, Swivet is outdoor lighting that’s as expressive as it is functional. ”*




# VENTT

## OUTDOOR WALL SCONCE



- Weather resistant powder coated finishes
- Light engine is factory sealed for maximum protection from the elements
- Driver concealed within the canopy
- Aluminum frame with glass diffuser



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	Dimensions		
											L	W	H
<b>WSW116615</b>	15"	3000K	90	120-277V	31W	1509	303	ELV, TRIAC	50,000 hours	<b>BK</b>	12.0"	12.4"	15.0"

Example: **WSW116615-BK**

See complementary piece on page 140



“Precision + Purpose. Ventt transforms the modern cylinder into a refined wall sconce. Its clean geometry and smooth detailing deliver precise, glare-free light in a sleek, architectural form.”




# VENTT

## OUTDOOR POST MOUNT



- Weather resistant powder coated finishes
- Light engine is factory sealed for maximum protection from the elements
- Mounts on a 3" maximum diameter post (not included)
- Driver concealed within the canopy
- ACLED driverless technology
- Aluminum frame with glass diffuser



Model No.	Size	CCT	CRI	Voltage	Wattage	LED Lumens	Delivered Lumens	Dimming	Rated Life	Finish	Dimensions		
											L	W	H
<b>PMW116618</b>	18"	3000K	90	120V	15.30W	597	30	ELV	50,000 hours	<b>BK</b>	12.0"	12.0"	17.4"

Example: **PMW116618-BK**

See complementary piece on page 138



“ *Form + Function. Ventt refines the modern cylinder into a sleek post mount light ideal for contemporary architecture. Its clean lines and subtle detailing minimize glare while delivering powerful illumination.* ”



# WAC GROUP


## CUSTOM LIGHTING FOR VISIONARY DESIGNS

From refined modifications to fully bespoke creations, WAC Group empowers designers to craft statement lighting that elevates every space.

BRING YOUR BOLDEST IDEAS TO LIFE.


# WHY CUSTOM

Custom solutions offer true distinction by matching proportions, finishes, materials, and sculptural forms precisely to your project.



## PARTNER WITH US. CREATE SOMETHING EXTRAORDINARY.


From modifications to fully custom designs, we help craft lighting experiences that define luxury. With advanced manufacturing and in-house UL/ETL labs, WAC Group delivers uncompromising quality from design to installation.



CUSTOM

### ORIGINAL CUSTOM LIGHTING

When projects call for the exceptional, we design original luminaires with unique forms, materials, and integrated architectural elements, developed collaboratively and with a focus on performance and beauty.



STANDARD

### MODIFYING EXISTING DESIGNS

Tailor one of our fixtures to fit your vision: adjust scale, select custom finishes, fine-tune color temperature, boost output, or adapt wiring for control systems. Small changes create the perfect solution.

Explore Custom  
[wacgroup.com/custom](http://wacgroup.com/custom)





# ALPHABETICAL INDEX

## A

AMES..... 82

## B

BALTO I..... 94

BALTO II ..... 96

BALTO III..... 98

BIFOLD..... 50

BROCADE..... 114, 116

## C

CAPULET..... 6

CARTRIDGE..... 8

CENTER STAGE..... 10

CHLOE ..... 84

CIRCLE LINE..... 52

CLOCKER..... 66

COLANDER ..... 100

## D

DIAL ..... 68

DOUBLE DIAMOND ..... 70, 72

DOWNTOWN ..... 102

DRIPSTONE..... 12

## E

ELLARIA..... 54, 56

ERLE..... 86

## F

FIDO..... 118

FLATTE..... 58

## G

GARLYN ..... 88

GASTON ..... 104

## H

HONEYMOONER..... 14

## K

KANISTER ..... 16, 18

## L

LEVEE ..... 120, 122

LONGBOARD..... 20

LOOME..... 124

LOOPEY ..... 22

## M

MOXEE ..... 74

## O

OFFSHORE..... 126

ORLENE ..... 128

## P

PARASAIL ..... 24

POPPIN ..... 106, 130

PORTOS ..... 26, 76, 132, 134

## R

RINGSLEY..... 108

RINGWALL..... 28, 110

ROPER ..... 30

ROUNDER..... 32

## S

SERENA..... 60, 78

SHIPMATE..... 34

SIDEWINDER..... 36

SUPER STAR..... 38, 40

SWATHE..... 42

SWAYZEY ..... 44

SWIVET ..... 136

## T

TRESSA..... 62

TROOP ..... 46

## V

VEER..... 90

VENTT ..... 138, 140



# NUMERICAL INDEX

## B

BL110610 .....	84
BL113610 .....	88
BL117609 .....	90
BL121606 .....	86
BL123607 .....	82

## F

FM-W47203 .....	102
FM-W47204 .....	102
FM-W47205 .....	102
FM-W47206 .....	102
FM402619 .....	110
FM701618 .....	104
FM701626 .....	104
FM702632-TWA .....	108
FMW703605 .....	94
FMW703605S .....	94
FMW704605 .....	96
FMW704605S .....	96
FMW705605 .....	98
FMW705605S .....	98
FMW706616 .....	106
FMW707618 .....	100

## P

PD-15514 .....	38
PD-15547 .....	40
PD-15560 .....	40
PD118620 .....	26
PD401614 .....	8
PD402633 .....	28
PD403632 .....	32
PD404632 .....	10
PD405619 .....	12
PD406624-TWA .....	6
PD407609 .....	44
PD407614 .....	44
PD410648 .....	34
PD411630 .....	42
PD412648 .....	24
PD413603R-TWA .....	18
PD413612-TWA .....	16
PD414648-TWA .....	20
PD415660-TWA .....	36
PD417609 .....	30
PD418614-TWA .....	14
PD418620-TWA .....	14
PD419638 .....	46
PD420614 .....	22
PDW115625 .....	122
PDW118620 .....	134
PDW706616 .....	130
PMW116618 .....	140
PMW119618 .....	116

## W

WS101606 .....	70
WS101620 .....	72
WS103624 .....	58
WS103634 .....	58
WS104609-TWA .....	54
WS104625-TWA .....	56
WS105605 .....	74
WS107615-TWA .....	78
WS107624-TWA .....	60
WS107633-TWA .....	60
WS108624-TWA .....	50
WS108636-TWA .....	50
WS109614 .....	68
WS109620 .....	68
WS114624 .....	52
WS118618 .....	76
WS118625 .....	76
WS122627 .....	62
WS124628 .....	66
WSW102616 .....	128
WSW106616 .....	118
WSW106624 .....	118
WSW111608 .....	136
WSW111612 .....	136
WSW112616 .....	124
WSW115616 .....	120
WSW115625 .....	120
WSW116615 .....	138
WSW118618 .....	132
WSW118625 .....	132
WSW119610 .....	114
WSW119618 .....	114
WSW119626 .....	114
WSW120610 .....	126
WSW120616 .....	126
WSW120624 .....	126



## Headquarters

Tel: 800.526.2588  
Fax: 800.526.2585

44 Harbor Park Dr  
Port Washington, NY 11050

## Distribution and Assembly Facilities

### South East

1600 Distribution Ct  
Lithia Springs, GA 30122

### Central

1700 South J Elmer Weaver Freeway  
Suite 100  
Cedar Hill, TX 75104

### West

1750 S Archibald Ave  
Ontario, CA 91761

Email [customs@waclighting.com](mailto:customs@waclighting.com) to learn more about our custom capabilities for large quantities. For up to date product specifications and assistance please visit [waclighting.com](http://waclighting.com) or call **1-800-526-2588**

# WAC GROUP

TECHNOLOGY ILLUMINATED

dweLED technology and designs are protected by several patents and patent applications. dweLED will not hesitate to enforce its intellectual property rights through injunctive relief and seek further relief through damages if it has reason to believe its patents are being infringed.

Copyright © 2026 dweLED. All rights reserved. This catalog is copyrighted and dweLED will use all measures available to it under the law against anyone who copies or derives from its copyrighted work.

dweLED retains the right to modify the design of its products at any time as part of the company's continuous improvement program. Please refer to our website for the latest product specifications.

